

# DATASHEET

## AXIS HMS TG



### GENERAL

Art.Nr:	H-310-TG
GTIN:	8056734836943
E-class number:	40-21-07-12
Customs tariff number:	76169990

Standards:	EN 12275:2013, EN 12275:2013/H, EN 362:2004, EN 362:2004/A/T, UIAA 121
Net weight:	0.09 kg
Gross weight:	0.09 kg

# DATASHEET

## AXIS HMS TG

Large HMS carabiner with wide opening and triplex twist-lock gate, made of hot-forged light alloy, designed for use in mountaineering, recovery manoeuvres and rescue operations.

### Main features:

- shape guarantees correct axial loading relative to rope and other devices;
- large size and ample width to allow use of Munter hitch knot, the securing of more than one rope, slings or devices and rope manoeuvres in general;
  - accentuated double-T profile, for an excellent weight/load ratio;
  - lightened and shaped form for improved ease of holding;
  - catch-free closure to avoid accidental tangling during use.

### FEATURES

Colour:	Grey, Silver, Green
Swivel:	No
Carabiner properties:	Corrosion resistance
Fallindicator:	No
Gate opening:	23 mm
MBS MAJOR AXIS:	25 kN
MBS GATE OPEN:	7 kN
MBS MINOR AXIS:	8 kN
Form fit:	Key Lock
Carabiner type:	Type H (EN 12275: 2013), Type B (EN 362:2004)
Maximum lifetime:	30 years
Min. temperature:	-35 °C
Max. temperature:	45 °C
Standard ANSI:	No
Standard CSA:	No
UIAA compliance:	Yes
Anti-twist device:	No
Locking mechanism:	Trilock

### MATERIAL

Material:	Aluminium
-----------	-----------

DATASHEET  
**AXIS HMS TG**

